




E-beam Bench

9037 FreeStand

Produced by 產品由	OMT
Desk length dimension LXD (mm): 桌面長度	1600x800mm
Stroke length (mm): 行程長度	650 - 1250 mm, electrical drive
Load capacity (N/ kg): 承載量	75 Kg per workstation
Noise (db): 噪音(分貝)	< 50 dB
Column tube dimension (mm): 柱管尺寸	RE 90/85/80 mm
Standard/ Certificate: 標準/證書	DIN EN 527-1; DIN EN 527-2






E-beam, Single Plug & Work

9037 FreeStand

Produced by 產品由	OMT
Desk length dimension LXD (mm): 桌面長度	1600x800mm
Stroke length (mm): 行程長度	650 - 1250 mm, electrical drive
Load capacity (N/ kg): 承載量	75 Kg per workstation
Noise (db): 噪音(分貝)	< 50 dB
Column tube dimension (mm): 柱管尺寸	RE 90/85/80 mm
Standard/ Certificate: 標準/證書	DIN EN 527-1; DIN EN 527-2






Conference Table

9042 FreeStand One 4

Produced by 產品由	OMT
Desk length dimension LXD (mm): 桌面長度	2400x1200 mm
Stroke length (mm): 行程長度	720 - 1170 mm, electrical drive
Load capacity (N/ kg): 承載量	75 Kg per workstation
Noise (db): 噪音(分貝)	< 45 dB
Column tube dimension (mm): 柱管尺寸	Q 70/60 mm
Standard/ Certificate: 標準/證書	DIN EN 527-1; DIN EN 527-2






Single table

9050 Diagonal

Produced by 產品由	OMT
Desk length dimension LXD (mm):	1600x800 mm
Stroke length (mm): 行程長度	650 - 1250 mm, electrical drive
Load capacity (N/ kg): 承載量	75 Kg per workstation
Noise (db): 噪音(分貝)	< 50 dB
Column tube dimension (mm): 柱管尺寸	RE 110/100/90 mm
Standard/ Certificate: 標準/證書	DIN EN 527-1; DIN EN 527-2






Single table

9051 FreeStand

Produced by 產品由	OMT
Desk length dimension LXD (mm):	1600x800 mm
Stroke length (mm): 行程長度	650 - 1250 mm, electrical drive
Load capacity (N/ kg): 承載量	75 Kg per workstation
Noise (db): 噪音(分貝)	< 45 dB
Column tube dimension (mm): 柱管尺寸	RE 90/85/80 mm
Standard/ Certificate: 標準/證書	DIN EN 527-1; DIN EN 527-2






Single / dual monitor configurations

Ascend

Produced by 產品由	OMT-VEYHL USA
Desk length dimension LXD (mm): 桌面長度	90mm x 61mm
Stroke length (mm): 行程長度	480mm
Load capacity (N/ kg): 承載量	15.9 kg
Noise (db): 噪音(分貝)	<50 db
Column tube dimension (mm): 柱管尺寸	60x60 mm
Standard/ Certificate: 標準/證書	BIFMA Level 5.5






Dual-Stage Height-Adjustable Table

BOLD

Produced by 產品由	OMT-VEYHL USA
Desk length dimension LXD (mm):	1524mm x 762mm
Stroke length (mm): 行程長度	660mm
Load capacity (N/ kg): 承載量	113 kg
Noise (db): 噪音(分貝)	<50 db
Column tube dimension (mm): 柱管尺寸	100mmX 60mm
Standard/ Certificate: 標準/證書	BIFMA, UL






ATE400 WORKSTATION

Built

Produced by 產品由	OMT-VEYHL USA (BUILT Division)
Desk length dimension LXD (mm): 桌面長度	1220mm X 813mm
Stroke length (mm): 行程長度	457MM
Load capacity (N/ kg): 承載量	181 kg
Noise (db): 噪音(分貝)	<55 db
Column tube dimension (mm): 柱管尺寸	100mm X 60mm
Standard/ Certificate: 標準/證書	N/A






Flip-Top Table

IRONS

Produced by 產品由	OMT-VEYHL USA
Desk length dimension LXD (mm):	1524mm x 762mm
Stroke length (mm): 行程長度	Fixed-Height
Load capacity (N/ kg): 承載量	91 kg
Noise (db): 噪音(分貝)	Not-applicable
Column tube dimension (mm): 柱管尺寸	63.5mm x 63.5mm
Standard/ Certificate: 標準/證書	BIFMA






Bench

clever duo HV-motor

Produced by 產品由	Veyhl
Desk length dimension LXD (mm): 桌面長度	1600x800mm
Stroke length (mm): 行程長度	650mm
Load capacity (N/ kg): 承載量	100 kg
Noise (db): 噪音(分貝)	< 50 dB
Column tube dimension (mm): 柱管尺寸	90x60mm 85x55mm 80x50mm
Standard/ Certificate: 標準/證書	-






Bench

clever lift

Produced by 產品由	Veyhl
Desk length dimension LXD (mm): 桌面長度	1600x800mm
Stroke length (mm): 行程長度	480mm
Load capacity (N/ kg): 承載量	depending on gas spring; max load 100
Noise (db): 噪音(分貝)	Not-applicable
Column tube dimension (mm): 柱管尺寸	100x60mm 90x50mm
Standard/ Certificate: 標準/證書	-







Single table

Eco +

Produced by 產品由	Veyhl
Desk length dimension LXD (mm): 桌面長度	1600x800mm
Stroke length (mm): 行程長度	600mm
Load capacity (N/ kg): 承載量	100kg
Noise (db): 噪音(分貝)	<50 dB
Column tube dimension (mm): 柱管尺寸	90x60mm 85x55mm 80x50mm
Standard/ Certificate: 標準/證書	-






Veyhl

Foldable motorized table

Limit

Produced by 產品由	Veyhl
Desk length dimension LXD (mm): 桌面長度	1600x800mm
Stroke length (mm): 行程長度	650mm
Load capacity (N/ kg): 承載量	100kg
Noise (db): 噪音(分貝)	< 50 dB
Column tube dimension (mm): 柱管尺寸	90x60mm 85x55mm 80x50mm
Standard/ Certificate: 標準/證書	-





Single table

ELEVO

Produced by 產品由	OMT VEYHL METALURGICA LTDA
Desk length dimension LXD (mm): 桌面長度	1600x800mm
Stroke length (mm): 行程長度	480mm
Load capacity (N/ kg): 承載量	80kg
Noise (db): 噪音(分貝)	-
Column tube dimension (mm): 柱管尺寸	100x60 mm
Standard/ Certificate: 標準/證書	-

